



بروجراسف

للتجارة والمقاولات ذ.م.م

PROGRESSIVE

TRADING & CONTRACTING W.L.L

TRADING DIVISION

FASTENER PRODUCTS

MEP PRODUCTS

PERSONAL PROTECTIVE EQUIPMENT

HAND TOOLS / POWER TOOLS

MS ANGLES, CHANNELS & PROFILES

BINDING WIRES / NAILS

COMMERCIAL / FILM FACED PLYWOODS

ADHESIVE TAPES

BLAST POT

AIRLESS PAINT SPRAYING PUMP

MAG BOLTS

All kinds of Fasteners



PPE PRODUCTS



PROGRESSIVE TRADING & CONTRACTING WLL

Trading Office / Warehouse : Gate No. 213, Street No. 16

Industrial Area

Doha, Qatar

Tel : +974 4460 7641 / 4460 7994 / 4469 7100

Fax : +974 4460 3584

Email : trdg@progressiveqatar.com

sales@progressiveqatar.com

steel@progressiveqatar.com

powertools@progressiveqatar.com

Head Office : 104, Block 9

Arkan Building (Type IV)

Barwa Commercial Avenue

PO Box 55379

Doha, Qatar

Tel : +974 40065333 / 34

Fax : +974 40065335

Email : info@progressiveqatar.com

Web : www.progressiveqatar.com



Since 2010, our Trading Division became one stop shop for all kinds of Fastener products, MEP and PPE Products, Structural Steels and other Building Materials in Qatar. Progressive Trading has established itself as a dependable & resourceful trading house for quality products, competitive price and timely delivery.



MM(D)	PITCH(MM)	LENGHT(L)
6	1	1 METERS
8	1.25	2 METERS
10	1.5	3 METERS
12	1.75	
14	2	
16	2.5	
18	2.5	
20	2.5	
22	3	
24	3	
27	3	
30	3.5	
33	3.5	
36	4	

Coating


ZINC / HDG / SS

Grade

4.6 / 4.8 / 8.8 / SS 304 / SS 316

Country of Origin

India / China / Taiwan



THREADED ROD DIN 975



Coating

GI / HDG / SS


Grade

4.8 / 8.8 / 10.9 / SS 304 / SS 316

Country of Origin

India / China / Taiwan

Metric Threaded Size	Pitch	W Max	C Min.	B Max.	H Nom.	R Min.	Length of Thread				Length Range L
							LT 1	LT 2	LT 3	LFT	
M06	1	10	11.05	6	4	0.25	18	-	-	FT	10 - 150
M08	1.25	13	14.98	8	5.3	0.4	22	28	-	FT	12 - 150
M10	1.5	17.0 - 16.0	18.90 - 17.80	10	6.4	0.4	26	32	45	FT	16 - 250
M12	1.75	19.0 - 18.0	21.10 - 20.03	12	7.5	0.6	30	36	49	FT	20 - 250
M14	2	22.0 - 21.0	24.49 - 23.25	14	8.8	0.6	34	40	53	FT	25 - 200
M16	2	24	26.75	16	10	0.6	38	44	57	FT	25 - 400
M18	2.5	27	30.14	18.1	11.5	0.6	42	48	61	FT	35 - 200
M20	2.5	30	33.53	20	12.5	0.8	42	48	61	FT	30 - 400
M22	2.5	32 - 34	35.75 - 37.75	22	14	0.8	50	56	69	FT	40 - 200
M24	3	36	39.98	24	15	0.8	54	60	73	FT	50 - 450
M27	3	41	45.2	27	17	1	60	66	79	FT	60 - 300
M30	3.5	46	50.85	30	18.7	1	66	72	85	FT	60 - 400
M33	3.5	50	55.37	33	21	1	72	78	91	FT	75 - 500
M36	4	55	60.79	36	22.5	1	78	84	97	FT	80 - 500



HEXAGON HEAD BOLT
(HALF / FULL THREAD) DIN 931 / 933



Coating

GI / HDG

Grade

8 / 10 / SS 304 / SS 316

Country of Origin


India / China / Taiwan



Thread Size	Pitch	W Max	C. Max.	H Norm.
M06	1	10	11.05	5
M08	1.25	13	14.38	6.5
M10	1.5	17	18.9	8
M12	1.75	19	21	10
M14	2	22	24.49	11
M16	2	24	26.75	13
M18	2.5	27	29.56	15
M20	2.5	30	32.95	16
M22	2.5	32	35.03	18
M24	3	36	39.55	19
M27	3	41	45.2	22
M30	3.5	46	50.37	24
M33	3.5	50	55.37	26
M36	4	55	60.79	29
M39	4	60	66.44	31
M42	4.5	65	71.3	34
M45	4.5	69.64	76.25	36.4
M48	5	74.28	81.4	38.75

HEX NUT DIN 934

FLAT WASEHER DIN 125



Coating

ZINC / HDG / SS

Country of Origin

India / China / Taiwan

MM	INTERNAL DIA (A)	EXTERNAL DIA (B)	THICKNESS (C)
M 06	6.6	12.5	1.6
M 08	8.6	16	1.6
M 10	11	21	2
M 12	14	24	2.5
M 14	16	28	2.5
M 16	18	30	3.15
M 18	20	34	3.15
M 20	22	37	3.15
M 22	24	39	4
M 24	26	44	4
M 27	30	50	4
M 30	33	56	4
M 33	36	60	5
M 36	39	66	5
M 39	42	72	6

SPRING LOCKER
WASEHER DIN 127



Coating

ZINC / HDG / SS


Country of Origin

India / China / Taiwan

MM	INTERNAL DIA	EXTERNAL DIA	THICKNESS
6	6.5	9	1.2
8	8.5	12	1.25
10	10.5	15	1.5
12	13.5	17.5	1.5
16	17.5	24	3
20	20.6	38	3
22	23.5	45	3.5
24	28.5	50	3.5
27	30	60	3.5
30	32.5	62	3.5
33	34.5	68	4
36	38	74	4.5
39	42	76	4.5

U-BOLT

PIPE SIZE	D	V	L	S
1"	M 08	44	75	40
1 - 1/4"	M 10	55	85	45
1 - 1/2"	M 10	61	95	45
2"	M 12	78	105	50
2 - 1-2"	M 12	92	118	50
3"	M 12	104	130	50
4"	M 12	130	160	50
6"	M 16	187	215	60
8"	M 16	236	265	60
10"	M 16	292	315	60
12"	M 18	345	370	60
14"	M 18	377	410	70
16"	M 22	430	465	80
18"	M 22	484	515	90
20"	M 24	535	570	90
22"	M 24	595	635	90
24"	M 24	637	670	90



Coating

GI, HDG, SS

Country of Origin

India / China / Taiwan

All dimensions are in MM.

U BOLT / J BOLT / L BOLT
DIN 3570

SPRING NUT (LONG / SHORT)




SPRING SIZE (MM)x (H)

M6 x 34.5 x 19 x 6
M8 x 34.5 x 19 x 8
M10 x 34.5 x 19 x 9.2
M12 x 34.5 x 19 x 9.2
M16 x 34.5 x 19 x 12

Country of Origin : India / China / Taiwan
Material : GI / SS


BLIND RIVET



Diameter	MM
M 3.0	8
M 3.0	12
M 3.0	16
M 3.2	10
M 3.2	12
M 4.0	10
M 4.0	12
M 4.0	16
M 4.0	19
M 4.0	20
M 4.8	12
M 4.8	19

Country of Origin : India / China / Taiwan
Material : Aluminium / SS

ROOFING BOLT



Country of Origin : China / India / Taiwan
Material : GI / HDG / SS

SELF DRILLING / SELF TAPPING / DRYWALL / MACHINE SCREWS



Country of Origin : India / China / Taiwan
Material : ZINC / BLACK / YZP / NICKEL / SS

DROP IN ANCHOR (UNIFIX)



FIX BOLT (EXPANSION ANCHOR)



THROUGH BOLT (WEDGE ANCHOR)



Coating
ZINC / HDG / SS

Country of Origin
India / China / Taiwan

ABRASIVE WHEELS / SHEETS

SEGMENTED TURBO CUP GRINDING WHEEL



SIZE : 115 & 125 mm

POLISHING PAD - PP (WOOL & SANDING PAPER)



SIZE : 7"

GRINDING DISC



SIZE : 4, 4-½, 7 and 9 inch
TYPES : Metal / SS

CUTTING DISC



SIZE : 4, 4-½, 7, 9, 12, 14 and 16 inch
TYPES : Metal / SS / Concrete



CUTTER HOESAW WITH ARBOR



SIZE : 20, 25, 32, 38, 51 & 64 mm
ARBOR SIZE : 14 - 30 mm , 32 mm & Above

DOUBLE ROW CUP GRINDING WHEEL



SIZE : 115 & 125 mm

FLAP DISC



SIZE : # 60 ~ 120

FIBER DISC



SIZE : # 60 ~ 120

ABRASIVE SHEETS (Sand Paper)



GRID

P 60
P 80
P 100
P 120
P 150
P 180
P 200
P 220
P 250
P 280
P 320
P 1000

UNISTRUCT CHANNELS (Slotted / Plain)



MATERIAL : GI, HDG
SIZE : 41 X 21, 41 X 41 MM
THICKNESS : 1.2, 1.5, 2.0 & 2.5 MM

PAINTS & COATINGS



THINNER, REDOXIDE, ALUMINUM,
EPOXY PAINTS, PUTTY
(ALL KINDS OF PAINTS)

ADHESIVE TAPES



TAPE MASKING - 1" & 2"



TAPE INSULATION PVC - 3/4"
(ALL COLOUR)



TAPE WARNING - 3"
RED & WHITE, BLACK & YELLOW



TAPE ALUMINIUM (PLAIN) - 2" & 3"



TAPE ALUMINIUM (FSK) - 2" & 3"

PROSTICK

PREMIUM QUALITY



PVC TAPE (PIPE WRAPPING) - 2"



TAPE FOAM (RUBBER INSUL)
1" & 2"



TAPE PACKING (BOPP) - 2"
(BROWN / CLEAR)



TAPE TEFLON (PTFE)



TAPE DUCT - 2" (GREY)

PROSTICK

PREMIUM QUALITY

BRUSH PAINT



1"



2"



3"



4"

MEP CONSUMABLES



SPRAY PAINTS IN ALL COLOURS



**RAGS COTTON - 100 %
(BANIYAN WASTE)
10 KG / 25 KG**



**SILICONE SEALANT
(WHITE, CLEAR & GREY)**



**BINDING WIRE 21 GAUGE
(GI, BLACK)**

POLYURETHANE FOAM



**PASTE PIPE JOINT BOSS WHITE
400 GRAMS**



**NAIL FOR WOOD (Common Nail)
CONCRETE NAIL**

**Sizes
1" ~ 4"**



JUTE HEMP 250 GRMS BUNDLE



**TARPAULIN SHEET
PVC BLUE**

Size
18' X 18'
24' X 24'
30' X 30'
40' X 40'



SHELLAC GASKET



**TARPAULIN SHEET
PVC ORANGE**

Size
30' X 30'
40' X 40'



**LUBRICANT WIRE PULLING 3M
1 GAL / 5 GAL**



**TARPAULIN SHEET
CANVAS**

Size
30' X 30'
40' X 40'



PVC GLUE - S 100 (500 ML)



**SHEET POLYTHENE
2 X 50 MTR, 500 G ROLL
2 X 50 MTR, 1000 G ROLL**



RUST REMOVER - WD 40 - 400 ML



**NET FENCING, GREEN
2 MTR X 50 MTR
3 MTR X 50 MTR**



**ROPE NYLONE
2 mm - 24 mm Dia
IN 70 YARD ROLL
MADE IN INDIA**



**DUCT GLUE 81 - 10
Duct Liner Adhesive**



**DUCT COAT 30 - 36
(CANVAS COATING)
Water based Protective
Thermal Insulation
(Normal & Anti Fungal)**



**ROPE COTTON
10 mm - 24 mm Dia**



**WELDING ROD
- ESAB (7018)
- ESAB (6013)
2.5 mm, 3.2 mm & 4.0 mm Dia**

AIRLESS PAINT SPRAYING PUMP



Q-TECH Q-A56 PNEUMATIC AIRLESS PAINT SPRAYING PUMP

- Pressure Ratio 68:1
- Maximum Spray Tip Size 0.052"
- Flow Rate Per Minute 11.0 litres
- Max Working Pressure 450 bar / 6525 psi
- Weight 108 kg
- Power Supply Air compressor

BLAST POT



200 LTR BLAST POT BEA-A120-G902P - "PAN BLAST" (ACCESSORIES)

- 200 Ltr Blast Pot With Twin Line Hose
- Deadman Handle
- Fina II Abrasive Metering Valve
- Uniflo Valve
- Moisture Separator
- Silencers
- Nylon Blast Pot Coupling
- Wide Terrain Wheels
- Pop Up Valve

THERMAL INSULATED WATER BOTTLES / CANS

Bottles : 1 & 2 Ltrs
Cans : 1, 2.5 & 5 Gallons



Made in
INDIA



PERSONAL PROTECTIVE EQUIPMENT



HELMETS



SAFETY GOOGLES

Executive Type
Normal Type



HAND GLOVES DOTTED


Single Dotted
Double Dotted
Normal Duty & Heavy Duty



EAR MUFFS



HAND GLOVES LATEX COATED



EAR PLUGS

With &
without Cord



CUT-RESISTANCE GLOVES



RUBBER GLOVES



SAFETY REFLECTIVE VEST

Type:

- Net
- Fabric
- Executive - Fabric
- Executive - Net



WELDER'S GLOVES APRON ARM GUARD LEG GUARD



COVERALL (FULL BODY & 2 PIECES)

Type:

- 100% Cotton
- 65/35 Poly Cotton



DUST MASKS

Filter, Ordinary & Paper Type



MADE IN INDIA

LABOUR SHOES

- Steel Toe Cap
- Steel Mid Sole
- Resistant to Oil, Chemical / Acid
- Antistatic
- Warm Lining
- Water Resistant
- Energy absorbency
- High Ankle

SAFETY SHOES



EXECUTIVE SHOES

- Steel Toe Cap
- Steel Mid Sole
- Resistance to Oil, Chemical / Acid
- Antistatic
- Warm Lining
- Water Resistant
- Energy absorbency
- Action Leather
- High Ankle

GUM BOOT RIGGER SHOES

- Steel Toe Cap
- Micro Fibre
- Resistant to Water



FIRE AND FALL PROTECTION



SAFETY HARNESS

Full body harness with shock absorbers



FULL BODY HARNESS



CARGO LASING

- Single Ply
 - Double Ply
- Size: 2, 3, 4 and 6 Mtr

FIRE BLANKET

Size : 4' X 4'
4' X 6'
6' X 6'



FIRE EXTINGUISHER

- Foam
- CO₂
- Dry Powder
- Water

FIRE BUCKET ASHTRAY



MESHES & WIRES

PROFLEX



ELECTRO GALVANIZED IRON WIRE

PACKING:

1. IN 10 - 800 KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH
2. IN SMALL COIL OF 0,5 - 10 KGS THEN IN CARTON
3. ON BE STRAIGHTENED & CUTTED IN REQUESTED LENGTH, THEN IN BUNDLES & PUT INTO CARTON

ASSORTMENTS	SIZE	T/S (KGS/MM ²)
GALVANIZED	BWG6 - BWG32	30 - 55



HOT DIPPED GALVANIZED IRON WIRE

PACKING:

1. IN 10 - 800 KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH
2. IN SMALL COIL OF 0,5 - 10 KGS THEN IN CARTON
3. ON BE STRAIGHTENED & CUTTED IN REQUESTED LENGTH, THEN IN BUNDLES & PUT INTO CARTON

ASSORTMENTS	SIZE	T/S (KGS/MM ²)
HOT DIPPED GALVANIZED	BWG6 - BWG32	30 - 55



BLACK ANNEALED IRON WIRE

PACKING:

1. IN 10 - 800 KGS COIL LINED WITH WAX PAPER OR PVC STRIPES AND WRAPPED WITH HESSIAN CLOTH
2. IN SMALL COIL OF 0,1 - 10 KGS THEN IN CARTON
3. ON WOODEN OR PLASTIC SPOONS

ASSORTMENTS	SIZE	T/S(KGS/MM ²)
BLACK ANNEALED IRON WIRE SOFT BRIGHT ANNEALED IRON WIRE SOFT	BWG6 - BWG24	30 - 55



PVC COATED IRON WIRE

PACKING: PLASTIC INSIDE AND HESSIAN WOVEN OUTSIDE,

PLASTIC INSIDE AND NYLON WOVEN OUTSIDE

MATERIAL: BLACK ANNEALED IRON WIRE

SPECIFICATION: 0,8 MM / 1,2 MM - 3,0 MM / 4,0 MM²

TENSILE STRENGTH: 40 - 60 KG/MM²

WEIGHT/COIL: 0,1 - 500 KG/MM²

PLYWOOD

COMMERCIAL PLYWOOD



Size : 4' X 8'

Thk : 2 mm - 18 mm


Face : Okume / Bintangor / Pine

Core : Popular / Combi / Hard Wood

Glue : WBP / MR / E2

PROFLEX

FILM FACED PLYWOOD



Size : 4' X 8'

Thk : 12 mm - 18 mm

Face : Brown / Black

Core : Popular / Combi / Hard Wood

Glue : WBP / MR

PROFLEX

NAILS

PROFLEX

WOOD NAIL

Size : 1/2" - 4"



CONCRETE NAIL

Size : 3/4" - 4"




STRUCTURAL STEELS



ANGLE

SIZE : 20 MM X 20 MM - 250 MM X 250 MM
(EQUAL / UNEQUAL ANGLE)
MATERIAL : ASTM A36/JIS SS400/Q235



CHANNELS

SIZE: 50 MM X 25 MM - 300 MM X 90 MM
MATERIAL: ASTM A36/JIS SS400/Q235



HOLLOW SECTION

SIZE: 12 MM X 12 MM - 600 MM X 600 MM
SQUARE / RECTANGULAR
MATERIAL: ASTM A53/JIS G3466/Q235



FLAT BAR

SIZE: 12 MM X 3 MM - 200 MM X 36 MM
MATERIAL: ASTM A36/JIS SS400/Q235




I BEAMS

SIZE: 100 MM X 55 MM - 270 MM X 135 MM (IPE)
SIZE: 78 MM X 45 MM - 196.4 MM X 100 MM (IPEAA)
MATERIAL: ASTM A36/JIS SS400/ST37/Q235




H BEAMS

SIZE: 100 MM X 100 MM - 900 MM X 300 MM
MATERIAL: ASTM A36/JIS SS400/Q235B



HOT ROLLED PLATE

SIZE : 1220 X 2440 MM
THICKNESS: 2 MM - 20 MM
MATERIAL: SS400, Q235B, Q345B



**HOT ROLLED
CHEQUERED PLATE**

SIZE : 1220 X 2440 MM
THICKNESS: 2 MM - 20 MM
MATERIAL: SS400, Q235B, Q345B



**MS ROUND / PLAIN
BAR**

SIZE : 6 MM - 20 MM
MATERIAL: SS400, Q235B, Q345B



Screwdriver Bit



**Curved jaw
Lock Plier**



**6 PCS Insulated
Screwdriver Set**



Handle Hack Saw frame



**Screwdriver
Bit Holder**



Pipe Wrench



G Clamps



Hacksaw Blade



Combination Pliers



Bolt Cutter



Machinist Hammer



Planer



Long Nose Pliers



Cable Cutter



Ball Pein Hammer



Hand Saw



End Cutting Pliers



Pipe Cutter



**Rubber and
Plastic Hammer**



Snap-off Blade Knife



Pump Pliers



**Slotted
Screwdriver**



Concrete Chisel



Aviation Snip



Slip Joint Pliers



**6 pcs
Screwdriver
Set**



Hand Riveter



**Flat, Half Round,
Round, Triangle Files**



**Insulated
Combination Pliers**



Test Pencil



Folding Hand Riveter



Bricklaying Trowel



Paint Brush



Paint Roller



Double Open
End Sapper Set



24 PCS 1/2"
Socket Set



Combination, Double
Open end Spanner



Adjustable Wrench



Spirit Level with Magnet



Steel Measuring Tape



Impact Drill



Electric Drill



Cordless Drill



Li-ion
Cordless Drill



Demolishing
Breaker



Rotary Sander



Finishing Sander



Angle Polisher




Angle Grinder



Electric Planer



Heat Gun



Cut Off Saw



Jig Saw



Wall Chaser



Marble Cutter



Circular Saw



Gasoline Chain Saw



Impact Wrench



1/2" Air Impact Wrench



Air Compressor



Electrode Holder



Inverter MMA
Welding
Machine



Gasoline
Generator



Drill Press

**CORDLESS PNEUMATIC
HAMMER 36V - BIPOWER**



360 APS 5.2

CORDLESS TECHNOLOGY

CORDLESS SCREWDRIVERS 18V



180 AFB 4.2



180 ALS 2.0

CORDLESS IMPACT DRIVER/WRENCH



180 AFT-D 4.2



180 AFT-W 4.2



ROTARY HAMMER DRILLS



1100 BMH-MAX
(SDS-MAX)



800 PPE
(SDS-PLUS)



550 HMSL
(SDS-PLUS)

PERCUSSION DRILLS



850 SB-2



650 SBLR-1

ANGLE GRINDERS



750 WS 115/125



1100 WSX 125



1400 WSXE 125



2400 WSX 230 / 180

DRILLS



850 BM-2



650 BS QuiXS

JIG SAWS



650 SPS

CIRCULAR SAW



1400 HKS / DS



TRADING OFFICE / WAREHOUSE

Tel : +974 4460 7641 / 4460 7994 / 44697100

Fax : +974 4460 3584

Email : trdg@progressiveqatar.com

sales@progressiveqatar.com

steel@progressiveqatar.com

powertools@progressiveqatar.com

Web : www.progressiveqatar.com



بروجراسف

للتجارة والمقاولات ذ.م.م

PROGRESSIVE

TRADING & CONTRACTING W.L.L